

Date: Friday, 9/21/2007 1:18:36 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SADDLE FITTING, AFT (OUTBOARD/INBOARD)
Job Number : 34815	
Estimate Number : 10534	
P.O. Number : <u>N/A</u>	Part Number : D2574
This Issue : 9/21/2007 S.O. No. : <u>N/A</u>	Drawing Number : D2574 REV E
Prsht Rev. : NC	Project Number : N/A
First Issue : 9/21/2007 Type : MACHINED PARTS	Drawing Revision : E
Previous Run : 34751	Material : <u>N/A</u>
Written By : <u>[Signature]</u>	Due Date : 10/18/2007 Qty: 8 Um: Each
Checked & Approved By : <u>[Signature]</u>	
Comment : Est Rev: As Per RevE 06-01-27 JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D6101005	7075-T7351 8.25X5.0X2.5
-----	----------	-------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 8.0000 Each(s)
 7075-T7351 8.25X5.0X2.5
 Make from D6101-005 billet for D2574
 Ensure that grain is along 5.00" length
 Batch No. 831388 SG 07.10.15 (8)

2.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
 Program Batch No. SG Double check by: [Signature]

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets
 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
 4-Deburr and remove all machining marks
 5-Tumble to remove sharp edges.

SG 07/10/16 (8)

3.0	MILLING CONV.	CONVENTIONAL MILLING MACHINE
-----	---------------	------------------------------



Comment: CONVENTIONAL MILLING MACHINE
 Machine keyway as per dwg D2573 & D2574

SG 07/10/16 (8)

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SG 07/10/16 (8)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: D Date: 01/10/23
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 9/21/2007 1:18:36 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Job Number: 34815

Part Number: D2574

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

J.F.

07/10/17

(8)

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

MS

07-10-18

(3)

7.0

POWDER COATING

POWDER COATING



M105068



(8X)

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

M.H.

07/10/22

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



MS



Comment: INSPECT POWDER COAT

07-10-22

(8X)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

7/10/23

sq

8X

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/10/23

Job Completion



07.10.23

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	34815
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443	DT8682	.440	.440	.440	.440		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.003	8.003	8.003	8.003		
F	0.490	0.510		.503	.503	.503	.503		
G	0.257	0.262	DT8683	.258	.258	.258	.258		
H	0.375	0.380	DT8684	.376	.376	.376	.376		
I	0.490	0.510		.503	.503	.503	.503		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.568	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.123	.123	.123	.123		
Q	0.115	0.135		.130	.130	.130	.130		
R	0.240	0.260		.250	.250	.250	.250		
S	0.115	0.135		.127	.127	.127	.127		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.240	.240	.240	.244		
W	0.115	0.135		.125	.125	.125	.125		
X	0.307	0.312		.310	.310	.310	.310		
Y	0.760	0.765		.764	.764	.764	.764		
Z	0.352	0.372		.367	.367	.367	.367		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.632	.632	.632	.632		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.252	.252	.252	.252		
AE	1.500	1.520		1.509	1.509	1.509	1.509		
AF	0.115	0.135		.130	.130	.130	.130		
AG	0.240	0.280		.275	.275	.275	.275		
AH	0.240	0.260		.250	.250	.250	.250		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by:	<i>26</i>
Date:	<i>07.10.15</i>

Audited by:	<i>J.F.</i>
Date:	<i>07/10/17</i>

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	34815
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:



				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	51	62	72	84	By	Date
A	0.438	0.443	DT8682	.440	.440	.440	.440		
B	1.745	1.755		1.751	1.751	1.751	1.751		
C	3.495	3.505		3.501	3.501	3.500	3.500		
D	1.745	1.755		1.751	1.751	1.751	1.751		
E	7.990	8.010		8.003	8.003	8.003	8.003		
F	0.490	0.510		.502	.501	.500	.500		
G	0.257	0.262	DT8683	.259	.259	.259	.259		
H	0.375	0.380	DT8684	.377	.375	.376	.376		
I	0.490	0.510		.500	.500	.500	.500		
J	1.174	1.184		1.177	1.179	1.177	1.177		
K	0.558	0.578		.558	.558	.568	.568		
L	1.174	1.184		1.177	1.179	1.179	1.179		
M	1.365	1.375		1.365	1.365	1.365	1.365		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.125	.125	.125	.125		
Q	0.115	0.135		.125	.125	.130	.130		
R	0.240	0.260		.250	.250	.250	.250		
S	0.115	0.135		.125	.125	.125	.125		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.233	3.233	3.233	3.233		
V	0.230	0.250		.240	.240	.240	.240		
W	0.115	0.135		.125	.125	.125	.125		
X	0.307	0.312		.310	.310	.310	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.360	.360	.360	.360		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.630	.630	.630	.630		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.250	.250	.250	.250		
AE	1.500	1.520		1.511	1.511	1.511	1.511		
AF	0.115	0.135		.125	.125	.125	.125		
AG	0.240	0.280		.280	.280	.280	.280		
AH	0.240	0.260		.250	.250	.250	.250		
AI	2.000	2.020		2.010	2.010	2.010	2.010		
AJ	0.023	0.043							
Accept/Reject									

Measured by:	J.P.
Date:	07/10/16

Audited by:	J.F.
Date:	07/10/17





Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.27	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	


05.12.06 




NOTES

MATERIAL: 7075-T7351 (Q0-A-250/12)
(REF DART SPEC. D6102-003)
FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER
DART QSI 005 4.3
BREAK ALL SHARP EDGES 0.010 TO 0.020
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- | | |
|---|--|
|  | ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010 |
|  | CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES) |
|  | CHAMFER 0.063 x 45° ALL AROUND |
|  | CHAMFER 0.033 x 45° (SEE DETAIL C) |






SECTION A-A



VIEW B-B



DETAIL C
SCALE 2:1

E	05.07.13	ADD CHAMFER ON RIDGE NOTE 4
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE
DESIGN DS CHECKED 		DRAWN BY PH  DART AEROSPACE LTD. MARKHAM, ONTARIO, CANADA
APPROVED 		DRAWING NO. D2574
DATE 05.07.13		TITLE INNER AFT SADDLE
		REV. SHEET 1 OF 1 SCALE 2

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE LTD.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 34815